



POTENZA® RE050™

Original equipment on many high-performance vehicles, the Potenza RE050 is built for the pleasure of driving. This tire comes loaded with race-proven technology: UNI-T for outstanding wet and dry traction, a tread pattern that promotes rapid water evacuation, variable dimensions in the tread blocks, and the smoother shape to reduce road noise. An asymmetrical pattern in the RE050A tread increases surface contact to enhance acceleration and cornering. Put this Potenza through its paces and discover what ultra-high performance really means.

WARRANTY SUMMARY

PLATINUM PACT LIMITED WARRANTY††
BUY & TRY 30 DAY GUARANTEE‡



††Replacement at no charge (excluding taxes and disposal fees) if your Bridgestone tire becomes unusable for any reason within the manufacturer's control for up to 3 years from date of purchase or 4 years from date of manufacture, whichever is to the owner's advantage. Certain restrictions and limitations may apply.

‡Original proof of purchase required to take advantage of the 30 Day Test Drive. Tires must be returned within 30 days of purchase. Does not apply to tires supplied as original equipment on new vehicles.





Rim Guard

A raised rubber ridge acts like a bumper to protect wheels from curb damage.

Innovative Compound - Longer Is Stronger

L.L. Carbon utilizes a special form of molecular re-engineered carbon black, a key factor in improving tire wear while enhancing wet performance.

Spiral Wrap

Spiral Wrap is a continuous nylon wrap that encircles the whole tire, helping the tire hold its original shape to improve high speed capability.

Innovative Roundness - Rounder Is Better

Rounder overall tire shape provides better balance for wet or dry handling.

Innovative Tire Design - A Comprehensive Tire Design Method

This method improves handling in wet or dry conditions and reduces irregular treadwear by combining an ideal tread design, casing shape, materials and construction.

Potenza RE050 TIRE SPECIFICATIONS

Size	Service Description	Load Range	Speed Rating	Sidewall Styling	Article Number	Approved Rim Widths	Measuring Rim Widths	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth (32")	RPM	Tire Weight	UTQG
215/45R17	87V	V	W	BW	079382	7.0-8.0	7.0	24.8	8.3	6.7	11.5	9.0	840	22	
225/45R17	91W	W	W	BW	080147	7.0-8.5	7.5	25.0	8.9	7.2	11.6	10.0	833	24	
225/50R17	94W	W	W	BW	117938	6.0-8.0	7.0	25.9	9.7	8.6	12.0	10.0	804	30	
225/40R18	88Y	Y	W	BW	093390	7.5-9.0	8.0	25.1	9.3	8.1	11.8	10.0	830	24	140 A A
255/40R18	95Y	Y	W	BW	093407	8.5-10.0	9.0	26.1	10.1	9.1	12.1	11.0	798	27	140 A A
215/45R17	87W	W	W	BW	033380	7.0-8.0	7.0	24.8	8.3	6.7	11.5	9.0	840	22	140 A A
225/45R17	90W	W	W	BW	072055	7.0-8.5	7.5	25.0	8.7		11.6	10.0	833	25	140 A A
245/45R17	95W	W	W	BW	072072	7.5-9.0	8.0	25.7	9.6	8.8	11.9	10.0	811	27	140 A A
245/45R17	95W	W	W	BW	024251	7.5-9.0	8.0	25.7	9.7	8.3	11.9	11.0	811	26	140 A A
245/40R17	91W	W	W	BW	033397	8.0-9.5	8.5	24.6	9.6	9.0	11.4	10.0	847	27	140 A A
245/45R18 XL	100Y	XL	Y	BW	006928	7.5-9.0	8.0	26.6	9.9	8.9	12.3	11.0	783	27	140 A A
245/45R18	96Y	Y	W	BW	120111	7.5-9.0	8.0	26.6	9.9	8.9	12.3	11.0	783	27	140 A A
245/45R18	96Y	Y	W	BW	062688	7.5-9.0	8.0	26.6	9.7	7.9	12.3	11.0	783	27	140 A A
255/45R18	99Y	Y	W	BW	071868	8.0-9.5	8.5	27.0	10.2	9.2	12.5	10.0	772	28	140 A A
275/45R18	103Y	Y	W	BW	071885										140 A A
265/40R18 XL	101Y	XL	Y	BW	006945	9.0-10.5	9.5	26.6	10.4	9.4	12.3	11.0	783	28	140 A A
265/40R18	97Y	Y	W	BW	062705	9.0-10.5	9.5	26.6	10.4	8.8	12.3	11.0	783	29	140 A A
275/40R18	99Y	Y	W	BW	120138	8.5-10.5	9.0	26.5	10.6	9.4	12.3	11.0	786	28	140 A A
205/45R17 XL	88W	XL	W	BW	025696	6.5-7.5	7.0	24.3	8.1	7.3	11.3	10.0	857	22	140 A A
205/40R17	80Y	Y	W	BW	025781	7.0-8.0	7.5	23.5	8.7	7.2	11.0	10.0	886	20	140 A A
215/40R17	83W	W	W	BW	025849	7.0-8.5	7.5	23.8	8.6	7.6	11.1	10.0	875	21	140 A A
235/40R17	90W	W	W	BW	025866	8.0-9.5	8.5	24.4	9.7	8.2	11.4	10.0	854	24	140 A A
P225/50R18	94W	W	W	BW	031561	6.0-8.0	7.0	27.0	9.8	9.3	12.5	10.0	772	28	140 A A
P225/50R18	94W	W	W	BW	062994	6.0-8.0	7.0	26.9	9.0	8.0	12.5	10.0	774	29	140 A A
225/50R18	95W	W	W	BW	095328	6.0-8.0	7.0	26.9	9.0	8.0	12.5	10.0	774	29	140 A A
215/45R18 XL	93Y	XL	Y	BW	071715	7.0-8.0	7.0	25.7	8.5	7.7	12.0	10.0	811	24	140 A A
215/45R18 XL	93Y	XL	Y	BW	063249	7.0-8.0	7.0	25.7	8.5	7.7	12.0	10.0	811	24	140 A A
235/45ZR18 (94Y)	Y	W	W	BW	090398	7.5-9.0	8.0	26.4	9.6	8.6	12.3	9.0	789	26	140 A A
245/45R18	95W	W	W	BW	095345	7.5-9.0	8.0	26.6	9.9	8.9	12.3	11.0	783	30	140 A A
255/45R18	99Y	Y	W	BW	025900	8.0-9.5	8.5	27.0	10.2	9.2	12.5	10.0	772	28	140 A A
P255/45R18	99V	V	W	BW	030490	8.0-9.5	8.5	26.9	9.0	8.0	12.5	10.0	744	30	140 A A
P255/45R18	99W	W	W	BW	030269	8.0-9.5	8.5	26.9	9.0	8.0	12.5	10.0	774	30	140 A A
225/40R18 XL	92Y	XL	Y	BW	065204	7.5-9.0	8.00	25.1	9.4	8.1	11.8	10.0	830	24	140 A A
235/40R18 (91Y)	Y	W	W	BW	061209	8.0-9.5	8.5	25.5	9.5	8.6	11.9	10.0	817	25	140 A A
245/40R18	93W	W	W	BW	071834										140 A A
255/40ZR18 (95W)	Y	W	W	BW	065221	8.5-10.0	9.0	26.1	10.1	9.1	12.1	11.0	798	27	140 A A
265/40ZR18 XL (101Y)	XL	Y	W	BW	061226	9.0-10.5	9.5	26.3	11.2	10.1	12.2	10.0	792	30	140 A A
275/40ZR18 (99Y)	Y	W	W	BW	090415	9.0-11.0	9.5	26.6	11.1	10.0	12.3	8.0	783	32	140 A A
225/35R18 XL	87W	XL	W	BW	044617	7.5-9.0	8.0	24.2	9.1	8.0	11.4	10.0	861	24	140 A A
255/35R18	90Y	Y	W	BW	025934	8.5-10.0	9.0	25.0	10.4	9.3	11.7	10.0	833	27	140 A A
275/35R18	95Y	Y	W	BW	053032	9.0-11.0	9.5	25.6	10.9	10.0	12.1	10.0	814	29	140 A A
295/35ZR18 (99Y)	Y	W	W	BW	065238	10.0-11.5	10.5	26.1	12.0	10.8	12.1	10.0	798	31	140 A A
295/35ZR18 (99Y)	Y	W	W	BW	068638	10.0-11.5	10.5	26.1	12.0	10.8	12.1	10.0	798	31	140 A A
225/40R19	89Y	Y	W	BW	056500	7.5-9.0	8.0	26.1	9.1	8.0	12.3	10.0	798	27	140 A A
235/40ZR19	92Y	Y	W	BW	038089	8.0-9.5	8.5	26.4	9.6	8.7	12.4	11.0	790	26	140 A A
245/40R19 XL	98W	XL	W	BW	053066	8.0-9.5	8.5	26.7	9.6	8.7	12.5	10.0	780	29	140 A A
245/40R19	94Y	Y	W	BW	056517	8.0-9.5	8.5	26.7	9.9	8.8	12.5	10.0	780	30	140 A A
245/40R19	94W	W	W	BW	056483	8.0-9.5	8.5	26.7	9.8	8.9	12.5	10.0	780	29	140 A A
225/35ZR19 (84Y)	Y	W	W	BW	063776	7.5-9.0	8.0	25.1	9.1	8.2	11.9	10.0	830	28	140 A A
235/35ZR19 (87Y)	Y	W	W	BW	072888	8.0-9.5	8.5	25.5	9.4	8.4	12.0	10.0	817	24	140 A A
255/35R19 XL	96Y	XL	Y	BW	024183	8.5-10.0	9.0	26.2	10.0	9.3	12.3	11.0	795	28	140 A A
255/35ZR19	92Y	Y	W	BW	069386	8.5-10.0	9.0	26.2	10.0	9.3	12.3	11.0	795	28	140 A A
265/35R19	94W	W	W	BW	071851	9.0-10.5	9.5	26.3	11.3	9.7	12.3	10.0	792	32	140 A A
265/35ZR19 (94Y)	Y	W	W	BW	091350	9.0-10.5	9.5	26.3	11.3	9.7	12.3	10.0	792	32	140 A A
275/35ZR19 (96Y)	Y	W	W	BW	038106	9.0-11.0	9.5	26.5	10.9	10.2	12.4	10.0	785	30	140 A A
285/35ZR19 (99Y)	Y	W	W	BW	063793	9.5-11.0	10.0	26.7	11.7	10.9	12.5	8.0	780	39	140 A A
285/30R19 XL	98Y	XL	Y	BW	024200	9.5-10.0	10.0	26.0	11.3	10.3	12.2	11.0	801	30	140 A A
265/30R19 XL	93W	XL	W	BW	044685	9.0-10.0	9.5	25.4	10.6	9.4	12.0	10.0	820	28	140 A A
295/30ZR19	100Y	Y	W	BW	088715	10.0-11.0	10.5	26.1	12.3	11.1	12.3	10.0	792	29	140 A A
305/30ZR19 (98Y)	Y	W	W	BW	069403	10.5-11.5	11.0	26.2	12.0	10.8	12.3	10.0	795	32	140 A A
305/30ZR19 XL (102Y)	XL	Y	W	BW	072905	10.5-11.5	11.0	26.3	12.6	11.3	12.3	9.0	792	34	140 A A
285/30R20	95W	W	W	BW	044719	9.5-10.5	10.0	26.7	10.9	9.4	12.6	10.0	780	30	140 A A
225/50R16	92V	V	W	BW	119423	6.0-8.0	7.0	25.0	9.1	8.1	11.5	10.0	833	27	140 A A
225/50R17	94W	W	W	BW	024149	6.0-8.0	7.0	25.9	9.5	7.9	12.0	10.0	804	31	140 A A
245/50R17	99W	W	W	BW	063266	7.0-8.5	7.5	26.8	10.1	9.0	12.3	11.0	777	34	140 A A
205/45R17	84W	W	W	BW	068621	7.0-8.0	7.5	23.5	8.7	7.5	11.0	10.0	886	20	140 A A
225/45R17	91V	V	W	BW	067346	7.0-8.5	7.5	25.1	9.3	8.3	11.6	11.0	830	27	140 A A
225/45R17	91W	W	W	BW	119415	7.0-8.5	7.5	25.0	9.2	8.2	11.6	10.0	833	26	140 A A
245/45R17	95W	W	W	BW	024166	7.5-9.0	8.0	25.8	9.7	8.3	11.9	11.0	807	31	140 A A
245/45R17	95W	W	W	BW	024132	7.5-9.0	8.0	25.7	9.7	8.3	11.9	11.0	811	32	140 A A
255/40R17	94W	W	W	BW	079008	8.5-10.0	9.0	25.2	10.1	8.8	11.8	11.0	827	30	140 A A
255/40R17	94V	V	W	BW	068825	8.5-10.0	9.0	25.2	10.1	8.8	11.8	11.0	827	30	140 A A
245/45R18	96W	W	W	BW	034094	7.5-9.0	8.0	26.7	9.6	8.7	12.4	11.0	780	31	140 A A
245/45R18	96Y	Y	W	BW	048867	7.5-9.0	8.0	26.7	9.2	8.2	12.4	10.0	780	28	140 A A
245/45R18 XL	100H	XL	H	BW	024268	7.5-9.0	8.0	26.7	9.7	8.9	12.4	11.0	780	33	140 A A
245/45R18	96Y	Y	W	BW	065153	7.5-9.0	8.0	26.7	9.8		12.4	11.0	780	31	140 A A
225/40R18	88W	W	W	BW	119431	7.5-9.0	8.0	25.2	9.1	8.1	11.8	10.0	827	24	140 A A
245/40R18	93W	W	W	BW	034077	8.0-9.5	8.5	25.7	9.7	8.9	12.0	11.0	811	31	140 A A
245/40R18	93Y	Y	W	BW	065918	8.0-9.5	8.5	25.7	9.7	8.9	12.0	11.0	811	31	140 A A



Size	Service Description	Load Range	Speed Rating	Sidewall Styling	Article Number	Approved Rim Widths	Measuring Rim Widths	Overall Tire Diameter	Overall Section Width	Tread Width	Static Load Radius	Tread Depth (32")	RPM	Tire Weight	UTQG
275/40R18	99W		W	BW	034111	9.0-11.0	9.5	26.8	10.8	9.9	12.4	11.0	777	34	140 A A
285/40R18	101Y		Y	BW	065170	9.5-11.0	10.0	27.1	11.7		12.5	9.0	769	38	140 A A
255/35R18	90W		W	BW	119458	8.5-10.0	9.0	25.1	9.6	8.6	11.8	10.0	830	26	140 A A
275/35R18	95W		W	BW	069352	9.0-11.0	9.5	25.6	10.9	10.0	12.1	10.0	814	29	140 A A
275/35R18	95Y		Y	BW	065952	9.0-11.0	9.5	25.6	10.9	10.0	12.1	10.0	814	29	140 A A
245/40R19	94W		W	BW	034128	8.0-9.5	8.5	26.9	9.9	8.7	12.6	11.0	774	30	140 A A
245/40ZR19	(94Y)		Y	BW	069420	8.0-9.5	8.5	26.7	9.4	8.3	12.5	11.0	780	28	140 A A
285/40R19	103Y		Y	BW	048884	9.5-11.0	10.0	28.0	11.4	10.1	13.0	8.0	744	39	140 A A
275/35R19	96W		W	BW	034145	9.0-11.0	9.5	26.7	10.7	10.2	12.5	11.0	780	33	140 A A
245/35R19	89Y		Y	BW	000927	8.0-9.5	8.5	25.7	9.9	8.7	12.1	9.0	810	24	140 A A
345/35R19	110Y		Y	BW	000944	11.5-13.0	12.0	28.6	14.0	11.5	13.2	8.0	728	35	140 A A
225/45R17	91W		W	BW	046436	7.0-8.5	7.5	25.0	9.0	7.3	11.6	11.0	833	24	140 A A
245/40R17	91W		W	BW	046453	8.0-9.5	8.5	24.8	9.7	8.3	11.5	11.0	840	26	140 A A
245/45R18	96Y		Y	BW	046470	7.5-9.0	8.0	26.6	9.7	8.3	12.3	11.0	783	30	140 A A
255/40R18	95Y		Y	BW	071800	8.5-10.0	9.0	26.1	10.0	19.1	12.1	11.0	798	27	140 A A
265/40R18	97Y		Y	BW	046487	9.0-10.5	9.5	26.5	10.3		12.3	11.0	786	31	140 A A
285/35R18	97Y		Y	BW	071817										140 A A
205/45R17	84W		W	BW	112039	6.5-7.5	7.0	24.3	8.2	7.4	11.3	10.0	857	20	140 A A
225/35ZR19	88Y		Y	BW	094903	7.5-9.0	8.0	25.4	9.1	8.1	12.0	10.0	820	24	140 A A
255/30ZR19	91Y		Y	BW	094920	8.5-9.5	9.0	25.2	10.3	9.2	11.9	11.0	827	26	140 A A
205/45R17	84W		W	BW	104542	6.5-7.5	7.0	24.2	8.2	7.4	11.3	10.0	861	22	140 A A
225/45R19	92W		W	BW	112906	7.0-8.5	7.5	26.9	9.4	8.1	12.6	10.0	774	27	140 A A
245/40R19	94W		W	BW	112923	8.0-9.5	8.5	26.8	10.1	8.8	12.5	10.0	777	29	140 A A
205/45R17	84W		W	BW	104542	6.5-7.5	7.0	24.2	8.2	7.4	11.3	10.0	861	22	140 A A
225/45R18	91W		W	BW	112073	7.0-8.5	7.5	25.9	9.2	7.5	12.1	10.0	804	27	140 A A
245/40R18	93Y		Y	BW	110543	8.0-9.5	8.5	25.7	10.3	9.3	12.0	11.0	811	26	140 A A
295/25R21 XL	96W	XL	W	BW	113297	10.0-11.0	11.0	26.8	11.3	10.2	12.8	10.0	777	30	140 A A
285/30R21 XL	100W	XL	W	BW	113314	9.5-10.5	10.0	27.8	11.3	10.4	13.1	10.0	749	29	140 A A
255/30R21 XL	93W	XL	W	BW	113331	8.5-9.5	9.5	27.0	10.1	9.2	12.8	10.0	772	28	140 A A
245/35R21 XL	96W	XL	W	BW	113348	9.5-11.0	10.0	27.8	9.5	8.7	13.1	10.0	749	29	140 A A

* Only Standard Limited Warranty applies to tires supplied as original equipment on new vehicles. # Potenza RE050A tread pattern. + Potenza RE050A Scuderia tread pattern. ^ RFT - Run Flat Tire. MO - Moextended. MOA - Moextended RE050A Tread Pattern



Bridgestone/Firestone North American Tire, LLC
535 Marriott Dr. Nashville, TN 37214
615.391.0088
©2005Bridgestone/Firestone North American Tire, LLC
www.bridgestonetire.com

